

# MAIN STREET YOUTH THEATER

## MINIMUM TECHNICAL REQUIREMENTS

### *If You Give a Mouse a Cookie / If You Give a Moose a Muffin*

#### STAGING

- A minimum performance area of 30' wide by 20' deep, and a minimum performance area of 10' in height
- Two (2) 6' to 8' tables, (1) offstage right and (1) offstage left

#### LIGHTING

- Venue lighting inventory must be in good enough working order to light the performance area (as described in STAGING above). This could be just general fluorescents but the staging area needs to be lit.
- Two (2) electrical outlets in working order, (1) offstage right and (1) offstage left
- Two (2) black or brown extension cords in working order

#### ACCESS/LOAD IN

- MST requires a maximum of one and a half hours of private access to the performance space to load in.
- In order to load in safely, the vehicle must be able to be unloaded nearest the staging area. Double doors leading onto the playing area are preferable.
- Parking for the touring vehicle must be provided as close to the performance venue as possible. The host will be responsible for any costs incurred for parking.

#### DRESSING ROOMS

- One (1) dressing area with sink and facilities are needed to accommodate three performers OR access to a non-student restroom.
- Three chairs backstage for performers

#### HOSPITALITY

- MST requires cool bottled water for three actors to be placed in or near the backstage or dressing room area.